

**Eurofins Scientific Estonia OÜ**

Paldiski mnt. 29  
10612 Tallinn  
ESTONIA  
Tel: +372 58860060

www.eurofins.ee

Analytical Report **AR-26-EP-000158-01**

Date **19.02.2026**

Sample(s) reception date **10.02.2026**

Our reference **EUA55-00024644**

Client Code **EP0000006**

Technical contact for your orders **Eva Kristel Kail**

**Maves OÜ**

Annamaria Krull

Marja tn 4d  
10617 Tallinn

ESTONIA

Email: annamaria@maves.ee

Analysis was performed between sample reception date and Analytical Report date.

Lepingu nr. 25120

Tallinn, Haabersti linnaosa, Pikaliiva tn 69 katastriüksuse (78406:606:0018) reostuse uuring

Sample code 337-2026-00000185  
Client sample code PA-17  
Client sample description Soil (05811)  
Sampling date and time 08.02.2026.13:42

Unit LOQ Laboratory

**Physico-chemical test****Dry matter**

SFS-EN ISO 11465:2025

RZDRY

86

%

3

RZ T039

**Microwave decomposition aqua regia**

SFS-EN ISO 54321:2021

RZE18

Done

RZ T039

**Hydrocarbons****Nonpolar TPH C10-C21**

SFS-EN ISO 16703:2011

RZP40

<10

mg/kg dry  
matter

10

RZ T039

**Nonpolar TPH C21-C40**

SFS-EN ISO 16703:2011

RZP40

<10

mg/kg dry  
matter

10

RZ T039

**TPH (sum C10-C40)**

SFS-EN ISO 16703:2011

RZP40

<10

mg/kg dry  
matter

10

RZ T039

**Elements****Nickel (Ni)**

SFS-EN 16171:2016

RZ0VI

<2

mg/kg dry  
matter

2

RZ T039

**Eurofins Scientific Estonia OÜ**

Paldiski mnt. 29  
10612 Tallinn  
ESTONIA  
Tel: +372 58860060

[www.eurofins.ee](http://www.eurofins.ee)

Analytical Report **AR-26-EP-000158-01**

Date **19.02.2026**

Sample code 337-2026-00000185  
Client sample code PA-17  
Client sample description Soil (05811)  
Sampling date and time 08.02.2026.13:42

**Elements**

			Unit	LOQ	Laboratory
<b>Lead (Pb)</b> SFS-EN 16171:2016	RZ0VH	1,1	mg/kg dry matter	1	RZ T039
<b>Chromium (Cr)</b> SFS-EN 16171:2016	RZ0VG	1,2	mg/kg dry matter	1	RZ T039
<b>Cadmium (Cd)</b> SFS-EN 16171:2016	RZ0VM	<0,2	mg/kg dry matter	0,2	RZ T039
<b>Zinc (Zn)</b> SFS-EN 16171:2016	RZ0W6	<5	mg/kg dry matter	5	RZ T039
<b>Copper (Cu)</b> SFS-EN 16171:2016	RZ0W1	<5	mg/kg dry matter	5	RZ T039

**Eurofins Scientific Estonia OÜ**

Paldiski mnt. 29  
10612 Tallinn  
ESTONIA  
Tel: +372 58860060

www.eurofins.ee

Analytical Report **AR-26-EP-000158-01**

Date **19.02.2026**

Laboratory		
RZ T039	Eurofins Environment Testing Finland (Lahti)	FINAS acc num. SFS-EN ISO/IEC 17025:2017 FINAS T039

**Validated By**

Eva Kristel Kail  
Analytical Service Manager  
EvaKristel.Kail@etn.eurofins.com

This test report has been created electronically and has been verified and authorised.

**EXPLANATORY NOTE**

1. This certificate may only be copied as whole.
2. Any publication of this report requires written permission. An excerpt publication is not allowed.
3. The results described apply only to the samples received.
4. All information regarding the sample (except those recorded on site or at sample registration by Eurofins) have been provided by the client. This information can have impact on the validity of the analytical results. Laboratory is not responsible for the accuracy of the information provided by the client.

< result is below LOQ  
LOQ limit of quantification